

Lecture 1 Notes

Statements

A program contains a sequence of statements. A statement either produces an identifier or a value. An identifier is a name given to some entity inside the program. A value is an instance of data that can undergo computation.

Data types

A value is an instance of data. All values have a data type. A value's data type determines how the value is stored, interpreted and manipulated. Here are five data types supported by C++:

Data type	Description	Size	Range
bool	Boolean	1 byte	true, false
char	Character	1 byte	-128 to 127
int	Integer	4 bytes	-2147483648 to 2147483647
double	Real number	8 bytes	-1.7E308 to 1.7E308
string	Character sequence	-	-

Variables

A variable is a container that can store a value. A variable can be referenced by its identifier. A C++ statement that creates a variable is known as a variable declaration.

Listing 1: Examples of variable declarations

```
int x;  
double amount;  
bool cointoss;
```

A variable declaration is performed by specifying the data type and the identifier of the variable. You may optionally provide an initialization value to your new variable, for example:

Listing 2: Creating variables with initialization values

```
double balance = 3070.12;  
bool verified = true;  
string message = "hello world"s;
```

If you do not provide an initialization value, the variable assumes a default value depending on its data type:

Data type	Default value
bool	false
char	'\0'
int	0
double	0.0
string	""s

Expressions

An expression produces a value. Expressions are either literal values or a composition of operators and operands.

Literal value expressions

Literal values represent constant instances of data with implicit data types:

Data type	Examples of literal values
bool	false, true
char	'A', '3', '?', ' ', '\n', '\t'
int	12, 0, -23, 500, +1234
double	9.8, -0.678, 23.0E+3, -0.1E-5
string	"welcome"s, "access denied."s, "Time\tPosition\n"s

Most expressions are composed of operators and operands. An operand is a sub-expression used by an operator, and an operator performs an operation on it's operands.

Assignment expressions

You have already been introduced to the simple assignment operator:

Operator Name	Operator Symbol	Usage
Simple assignment	=	a = b

The simple assignment operator assigns the value of it's right operand to it's left operand. This operator returns it's left operand, therefore you can assign a value to multiple variables in one expression:

Listing 3: Examples of assignment expressions

```
x = 4;
foo = bar;
a = b = c = 5;
```

The last expression is equivalent to: c = 5; b = c; a = b;.

Arithmetic expressions

Arithmetic operators are typically used on the `int` and `double` data types.

Operator Name	Operator Symbol	Usage
Addition	+	a + b
Subtraction	-	a - b
Multiplication	*	a * b
Division	/	a / b
Modulo	%	a % b

These operators are self-explanatory. The modulo operator is similar to the division operator except that it returns the remainder instead of the quotient.

I/O expressions

I/O stands for Input/Output. An I/O operator transfers data on a stream. A stream is a data type that represents a communication channel.

Operator Name	Operator Symbol	Usage
Insertion	<<	a << b
Extraction	>>	a >> b

The insertion operator writes the value from its right operand to the stream on its left operand. The extraction operator reads a value from the stream on its left operand, and stores that value into the variable on its right operand.

Both of these operators return their left-operand, therefore you can perform multiple insertions or multiple extractions on the same stream in one expression.

Standard Streams

Every C++ program has access to two pre-declared stream variables. These are known as the program's standard streams.

Variable	Description	Default target
<code>cin</code>	Character in	Keyboard
<code>cout</code>	Character out	Terminal window

You can use the extraction operator on `cin` to read user input into a variable. You can use the insertion operator on `cout` to write messages into the terminal window.

Hello World

This is C++ source code for a hello world program. A hello world program displays a simple message and exits.

Listing 4: hello.cpp

```
#include <iostream>
#include <string>
using namespace std;

int main()
{
    cout << "hello world\n"s;
}
```

To run this program, you must save this source code into a file named `hello.cpp`. Then you must compile `hello.cpp` into a program and run it:

Listing 5: Bash commands to compile and run hello.cpp

```
g++-5 -std=c++14 hello.cpp
./a.out
```

The first bash command compiles `hello.cpp` to generate an executable file named `a.out`. The second command executes `a.out`.

– Mark Swoope